



HP LaserJet Enterprise M612dn

The pinnacle of performance and security

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network from attacks with the industry’s deepest security.¹



Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: <http://www.hp.com/go/learnaboutsupplies>

The world’s most secure printing¹

- With HP Sure Start, operating code is automatically checked at startup and repairs itself if compromised.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralise control of your printing environment with HP Web Jetadmin – and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy hundreds of HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as one-sided.
- This printer wakes up fast and prints your first page faster – in as quickly as 5.0 seconds.³
- This printer uses low amounts of energy thanks to its innovative design and toner technology.
- Easily manage print jobs directly at the printer – just tap and swipe the 10.9 cm (4.3 inch) colour touchscreen.

Performance and protection you can count on

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁴



Color touchscreen



Mobile printing



Low energy



Instant-on technology



Auto on/off



2-sided printing

Product walkaround

Accessories, Supplies and Support

Supplies	W1470A HP 147A Black Original LaserJet Toner Cartridge (10,500 pages)	
	W1470X HP 147X High Yield Black Original LaserJet Toner Cartridge (25,200 pages)	
	W1470Y HP 147Y Extra High Yield Black Original LaserJet Toner Cartridge (42,000 pages)	
Accessories	2MU47A HP Accessibility Assistant	
	2NR12A HP Removable Hard Drive Enclosure	
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory	
	4QL32A HP Legic Secure USB Reader	
	5EL03A HP Secure Hard Disk Drive with FIPS Validation (TAA Compliant)	
	8FP31A HP Jetdirect LAN Accessory	
	B5L28A HP Internal USB Ports	
	B5L29A HP High-Performance Secure Hard Disk	
	LOH17A HP LaserJet 550-sheet Paper Tray	
	LOH18A HP LaserJet 2100 Sheet Paper Tray	
	LOH19A HP LaserJet Printer Stand	
	LOH20A HP LaserJet Stapler/Stacker/Mailbox	
	LOH21A HP LaserJet Envelope Feeder	
	LOH22A HP LaserJet Extension Tray Cover	
	X3D03A HP Universal USB Proximity Card Reader	
	Service and Support	U9MZ0E - HP 3y NBD LJ Ent M609 M612 SVC
		U9MZ1E - HP 4y NBD LJ Ent M609 M612 SVC
U9MZ2E - HP 5y NBD LJ Ent M609 M612 SVC		
U9MZ3E - HP 3y 4h 9x5 LJ Ent M609 M612 SVC		
U9MZ4E - HP 4y 4h 9x5 LJ Ent M609 M612 SVC		
U9MZ5E - HP 5y 4h 9x5 LJ Ent M609 M612 SVC		
U9MZ6E - HP 3y 4h 13x5 LJ Ent M609 M612 SVC		
U9MZ7E - HP 4y 4h 13x5 LJ Ent M609 M612 SVC		
U9MZ8E - HP 5y 4h 13x5 LJ Ent M609 M612 SVC		
U9NA2E - HP 3y Nbd Exch LJ Ent M609 M612 SVC		
U9NA3E - HP 4y Nbd Exch LJ Ent M609 M612 SVC		
U9NA4E - HP 5y Nbd Exch LJ Ent M609 M612 SVC		
U9NA5E - HP 3y RtD LJ Ent M609 M612 SVC		
U9NA6E - HP 4y RtD LJ Ent M609 M612 SVC		
U9NA7E - HP 5y RtD LJ Ent M609 M612 SVC		
U9NA8E - HP 3y ChnlPartsOnly LJ Ent M609 M612 SVC		
U9NA9E - HP 4y ChnlPartsOnly LJ Ent M609 M612 SVC		
U9NB0E - HP 5y ChnlPartsOnly LJ Ent M609 M612 SVC		
U9NB1E - HP3yNBDw/Max 3MaintKit LJEntM609M612 SVC		
U9NB2E - HP4yNBDw/Max 3MaintKit LJEntM609M612 SVC		
U9NB3E - HP5yNBDw/Max 3MaintKit LJEntM609M612 SVC		
U9NB4PE - HP 1y PW NBD LJ Ent M609 M612 SVC		
U9NB5PE - HP 2y PW NBD LJ Ent M609 M612 SVC		
U9NB6PE - HP 1y PW 4h 9x5 LJ Ent M609 M612 SVC		
U9NB7PE - HP 2y PW 4h 9x5 LJ Ent M609 M612 SVC		
U9NB8PE - HP 1y PW 4h 13x5 LJ Ent M609 M612 SVC		
U9NC1PE - HP 1y PW Nbd Exch LJ Ent M609 M612 SVC		
U9NC2PE - HP 1y PW RtD LJ Ent M609 M612 SVC		
U9NC3PE - HP 1y PW PartsOnly LJ Ent M609 M612 SVC		
U9NC4PE - HP 2y PW PartsOnly LJ Ent M609 M612 SVC		
U9PS9E - HP MKRS LJ M60x M612 MFP Fuser 220 SVC		
U9PS8E - HP MKRS LJ M60x M612 MFP Fuser 110 SVC		
U9JT2E - HP Inst SVC w/nw Workgroup Printer		

Technical specifications

Model	HP LaserJet Enterprise M612dn
Product number	7PS86A
Functions	Print
Control panel	10.92 cm (4.3 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Home button
Print	
Print technology	Laser
Print speed⁹	Black (A4, normal) Up to 71 ppm; Black (A4, duplex) : Up to 58 ipm;
First page out¹¹	Black (A4, ready) : As fast as 5.1 sec; Black (A4, sleep) : As fast as 7.9 sec;
Print resolution	Black (best) : Up to 1200 x 1200 dpi; Technology : Normal FastRes 1200; Fine Lines (1200 x 1200 dpi), Quickveiv (300 x 300 dpi), Economode (600 x 600 dpi);
Monthly duty cycle¹²	Up to 300,000 pages A4; Recommended monthly page volume¹³ : 5,000 to 30,000
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Standard print languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area : 212 x 352 mm
Duplex printing	Automatic (standard)
Processor speed	1.2 GHz
Connectivity	
Standard	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket
Optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A
Wireless	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A; Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A
Mobile printing capability⁷	HP ePrint; Apple AirPrint™; Google Cloud Print™; Mopria™ Certified; ROAM optional for easy printing
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).
Memory	Standard : 512 MB; Maximum : 1.5 GB, MAX memory, when 1 GB Accessory DIMM is installed
Media handling	
Number of paper trays	Standard : 2; Maximum : Up to 6
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), monochrome transparency, labels, letterhead, envelope, heavy envelope
Media size	Custom (metric) : 100 sheet multipurpose Tray 1: 76 x 127 to 216 to 356 mm; 550 sheet input Tray 2: 99 x 148 to 216 x 356 mm; 550 sheet optional feeder: 99 x 148 to 216 x 356 mm; 75 sheet envelope feeder: 90 x 148 to 178 x 254 mm Supported (metric) : 100 sheet multipurpose Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Postcard (JIS), Dpostcard (JIS), Envelope: B5, C5, C6, DL; 550 sheet input Tray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Postcard (JIS), Dpostcard (JIS); 550 sheet optional feeder: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Postcard (JIS), Dpostcard (JIS); 2,000 sheet optional HCl: A4; 75 sheet optional envelope feeder: B5, C5, C6, DL

Model	HP LaserJet Enterprise M612dn
Product number	7P586A
Media handling	Standard input: 100 sheet multipurpose feeder, 550 sheet input feeder, 150 sheet automatic document feeder Standard output: 500 sheet output bin Optional input: Optional 1 x 550 sheet paper feeder, optional 1 x 550 paper feeder and stand with cabinet, optional 3 x 550 sheet paper feeder and stand, optional high-capacity paper feeder and stand with 1 x 550 sheet feeder and 1 x 2,000 sheet feeder
Media weight	Tray 1: 60 to 200 g/m ² ; Automatic Duplexer: 60 to 120 g/m ²
Input capacity	Tray 1: Sheets: 100; Transparencies, cardstock (163 g/m ²): 50; Cardstock (200 g/m ²): 30; Envelopes: 10 Tray 2: Sheets: 550; Labels, Transparencies: 100 Tray 3: Sheets: 550; Labels, Transparencies: 100 Maximum: Up to 4,400 sheets
Output capacity	Standard: Up to 500 sheets Envelopes: Up to 75 envelopes Transparencies: 200 Maximum: Up to 1,300 sheets
Compatible operating systems	Windows Client OS (32/64-bit) - Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android; Mac - Apple® macOS Sierra v10.13, Apple® macOS High Sierra v10.14, Apple® macOS Mojave v10.15; Discrete PCL6 Printer Driver - for more information on the supported operating systems go to http://www.support.hp.com , enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) - User Guide, search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers - for more information on the supported operating systems go to http://www.support.hp.com , enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) - User Guide, search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems - for more information on the supported operating systems see http://www.hp.com/go/upd
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Citrix XenApp and XenDesktop 7.6, Novell iPrint server; Citrix Ready Kit Certification - up to Citrix Server 7.18, for more information see http://www.citrixready.citrix.com ; Linux- for more information see http://www.developers.hp.com/hp-linux-imaging-and-printing ; Unix- for more information see http://www.hp.com/go/unixmodelscripts ; Linux- for more information see http://www.developers.hp.com/hp-linux-imaging-and-printing ; Unix- for more information see http://www.support.hp.com , 1. enter your product name and search, 2. click on User Guides and enter your product name and search for User Guide, 3. search for your (Product Name) - User Guide, 4. search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems - for more information on the supported operating systems see http://www.hp.com/go/upd
Minimum system requirements	Windows: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com Mac: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see http://www.apple.com
Software included	No software solutions are included in the box, only on http://www.hp.com , http://www.123.hp.com
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF and Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Printer management	HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Dimensions and weight	
Printer dimensions (W x D x H)	Minimum 431 x 466 x 380 mm; Maximum: 431 x 1040 x 453 mm;
Package dimensions (W x D x H)	597 x 497 x 539 mm
Printer weight³	21.6 kg
Package weight	27.3 kg
Operating environment	Temperature: 10 to 32.5°C Humidity: 30 to 70 % RH
Storage conditions	Temperature: -20 to 40°C
Acoustics⁹	Acoustic power emissions: 7.1 B(A) Acoustic pressure emissions: 56 dB(A)
Power⁴	Requirements: 220 - 240 VAC nominal, @ +/-10% ; 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A; Consumption: 780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off); Typical Electricity Consumption (TEC)⁵: Energy Star: 1.093 kWh/week; Blue Angel: 2.948 kWh/week; Power supply type: Internal (built-in) 220V Power Supply;
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Certifications¹	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International) Class A/EN 55032:2012 Class A, CISPR 35:2016 (International) Class A/EN 55035:2017 Class A, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Low Voltage Directive 2014/35/EU, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries. ENERGY STAR [®] qualified; Blue Angel; EPEAT [®] Silver; CECP Blue Angel compliant Yes, Blue Angel RAL-UZ 205
Country of origin	Made in China
What's in the box²	HP LaserJet Enterprise M612dn printer; HP Black Original LaserJet Toner Cartridge (10,500 page yield); Documentation (Hardware Install Guide, Regulatory Flyer); Power cord.
Warranty	One-year warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

Footnotes

- ¹ HP's most advanced embedded security features are available on HP Enterprise and HP Managed devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: <http://www.hp.com/go/PrintersThatProtect>. For more information, visit: <http://www.hp.com/go/PrinterSecurityClaims>.
- ² HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>.
- ³ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
- ⁴ HP 147X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.
- ⁵ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Technical specifications disclaimers

- ¹ EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.
- ² Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.
- ³ With print cartridges.
- ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- ⁵ BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device.
- ⁶ Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.
- ⁷ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit <http://www.hp.com/go/roam>.
- ⁸ Acoustic values are subject to change. For current information see <http://www.hp.com/support>. Noise measured during printing monochrome simplex A4 at 71 ppm.
- ⁹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ¹⁰ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
- ¹¹ Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ¹² Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- ¹³ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.



www.blauer-engel.de/uz205

Windows 10



© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4AA7-6951, February 2020

